


System requirements

Version 8.0



This documentation is provided under restrictions on use and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this documentation, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Table of Contents

| | |
|---|----------|
| Client-side system requirements | 4 |
| Server-side system requirements | 4 |
| General guidelines | 7 |
| Connection channels | 7 |
| Requirements to servers for the Exchange Listener synchronization service | 8 |
| Software requirements | 8 |

Client-side system requirements

PRODUCTS: [ALL CREATIO PRODUCTS](#)

Software products on the Creatio platform are web applications, so they do not require any installation on the client side. Users access the application via an Internet browser and required parameters of the customer's computer must meet the requirements of the browser. The indicative characteristics:

| | |
|----------------------------|---|
| Monitor minimum resolution | 1280x768 |
| CPU | Pentium G/J, AMD A6-7xxx 3.0 Ghz or higher |
| RAM | 4GB recommended 512 MB of free RAM is recommended during the work process |
| HDD | 500 MB free space is recommended |

Note. You can learn more about the recommended parameters for the mobile apps in the "[System requirements for mobile devices](#)" article.

The recommended data channel for the client-server connection is 512 Kbps per one active user.

One of the following Internet browsers must be installed on the client-side:

| | |
|--|--|
| Microsoft Windows: <ul style="list-style-type: none"> • Windows 7; • Windows 8; • Windows 10. | Google Chrome, the latest official version on the Creatio release date |
| | Mozilla Firefox, the latest official version on the Creatio release date |
| | Microsoft Edge, the latest official version on the Creatio release date |
| OS X, the latest official version. | Apple Safari, the last official version on the Creatio release date |

Note. Release dates are available in the [release calendar](#).

Attention! Using third-party plug-ins and add-ons for browsers may increase the page loading time and cause incorrect display of pages.


Server-side system requirements

PRODUCTS: ALL CREATIO PRODUCTS

The following components are **required** for any Creatio on-site application (Fig. 1):

- **Web server**, which is also going to be Creatio **application server**
- **Database server** with the chosen database management system (DBMS)
- **Session storage server** (Redis), also known as “**caching server**”


Fig. 1 Creatio basic infrastructure



Optional components include:

- **Version control server** (SVN) – recommended for development environments. It lets the developers manage versions and changes of the Creatio configuration (eg., rollback, merge versions, etc).
- **Load balancers** for the application, database, and caching servers for fault-tolerant configurations (Fig. 2).

Fig. 2 Creatio fault-tolerant infrastructure



Several functions, such as global search, deduplication, and machine learning require deployment of additional **containerization** (operating-system-level virtualization) infrastructure. Implementing the containerization (operating-system-level virtualization) is required for the following Creatio services:

- machine learning
- data enrichment
- bulk email service
- global search
- deduplication
- Exchange Listener

General guidelines

All system components should be functional in a virtual environment. The list of officially supported cloud/virtual platforms:

- Amazon Web Services
- Microsoft Azure / Hyper-V
- VMware vCloud Director / vSphere

Note. Compatibility with other cloud / virtual platforms is not guaranteed.

Active system component instances must be placed in a single location (data center / server room / office building, etc.). Placing backup components in remote locations when implementing protection against catastrophic events is acceptable.

All components should function in their dedicated operating systems. Merging components is possible, but not recommended.

To organize a DBMS cluster, you can use either a shared file storage or separate disk space of cluster nodes.

The version control server (SVN) is optional. You only need it in case of configuration version control.

The load balancer is an optional component, which may be useful, if:

- there is an increased network load on the application servers
- application servers are deployed in a fault-tolerant configuration (web farm)

The load balancer may be either hardware or software. To work in fault-tolerant mode, use the HTTP/HTTPS traffic balancer that supports the WebSocket protocol. Creatio has been tested on HAProxy and MS ARR (Microsoft Advanced Request Routing) software load balancers. There are known cases where other balancers like Citrix, Cisco, NginX, FortiGate were successfully implemented.

Connection channels

IIS - SQL:

- the capacity of 10Mb/sec per 100 active users
- delays no more than 15-20 ms

IIS - user:

- minimum 256 Kb/sec per 1 active user
- recommended 512 Kb/sec per 1 active user
- formula: $30\text{kByte/sec} * (\text{total number of users working at a time}) * 10\%$

Input/output:

- IIS; 100 IOPS per 1000 active users
- SQL: 1000 IOPS per 1000 active users.

Requirements for sending marketing emails (Marketing Creatio):

The recommended speed of DB disks depends on the number of recipients.

- Audience of up to 1 mln recipients in an email or above 1 mln recipients per month – minimum 300 IOPS, < 8 ms.
- Audience from 1 mln to 2 mln recipients in an email or above 3 mln recipients per month – minimum 500 IOPS, < 8 ms.
- Audience from 2 mln to 5 mln recipients in an email or above 5 mln recipients per month – minimum 1000 IOPS, < 7 ms.

Requirements to servers for the Exchange Listener synchronization service

Exchange Listener processes requests by separate handlers simultaneously serving 40 active mailboxes each.

You specify the number of handlers when installing the microservice component. It depends on the planned number of mailboxes.

One processor requires 30% of the 1GHz processor time and 850 Mb of RAM (disk storage is not used).

Software requirements

| Component | Software |
|--|---|
| Web server (.NET Framework application) | Windows Server 2012 R2 and up IIS .Net framework 4.7.2 |
| Web server (.NET Core application) | Linux Debian 10-11 .NET Core version 3.1 GDI+ compatible API on non-Windows operating systems Development libraries and header files for GNU C |
| Database server (Windows) | Windows Server 2012 R2 and up MSSQL 2016 and up, or Oracle 11g and up, or PostgreSQL 11 and up |
| Database server (Linux) | Linux Debian 10-11 PostgreSQL 11 and up |
| Caching server | Linux Debian 10-11; Redis Server 4.0 and up |
| Load balancer server | Linux Debian 10-11; HAproxy |
| Version control system server (SVN) | Linux Debian 10-11; SVN |
| Containers | Linux Debian 10-11; Docker; Kubernetes |