

Basic interface elements

Modal window

Version 7.18



This documentation is provided under restrictions on use and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this documentation, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Table of Contents

Modal window


4

Modal window

 Beginner

Modal windows display data in a pop-up dialog box. When a modal window opens, the page from which the modal window was opened does not close, and no new pages are opened in the process. Thus, the page that the modal window displays is not shown in the browser history.

The modal windows are used to display and select data from various lookups, for example, when selecting an activity assignee from the contact lookup.



Name	Email	Account
Murphy Valerie	valerie.murphy1980@gmail.com	Our company
Mary King	maryking.primary@yahoo.com	Our company
Caleb Jones	c.jones@yahoo.co.uk	Our company
Peter Moore	peter.moore@yahoo.com	Our company
Walker William	william.walker.work@gmail.com	Our company
John Best	john_best_business@yahoo.com	Our company
Symon Clarke	symon-clarke@yahoo.com	Our company

General properties and behavior of modal windows are specified in the `ModalBox` and `ModalBoxSchemaModule` modules of the `NUI` package. The modal window for selecting data from lookups is called in the `LookupUtilitiesV2` module.