

Close the WebSocket

Close the WebSocket when destroying the View of the model

Version 8.0



This documentation is provided under restrictions on use and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this documentation, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Table of Contents

Close the WebSocket when destroying the View of the model	4
---	---

Close the WebSocket when destroying the View of the model



To **close the WebSocket when destroying** the `View` of the **model**, add a custom implementation of the `crd.HandleViewModelDestroyRequest` system query handler to the `handlers` schema section. The handler is executed when the `View` of the model is destroyed (for example, when you open another page). Designed to destroy resources. We do not recommend writing asynchronous code in the handler (server calls, timeouts, etc.) except for reading the value of attributes.

View an example of the `crd.HandleViewModelDestroyRequest` query handler that closes the custom `SomeWebSocket` WebSocket below.

For Creatio version **8.0.6 and later**

For Creatio version **8.0-8.0.5**